

Robert Kollmorgen DO

**POSTERIOR CAPSULORRAPHY/
REVERSE BANKART**

Revised August 2017

Post-op Days 1 – 14

Sling with external rotation brace x 6 weeks – Even while sleeping

– Maintain shoulder in neutral rotation, not IR

– Place pillow under shoulder / arm while sleeping for comfort

Hand squeezing exercises

Elbow and wrist active motion (AROM) with shoulder in neutral position at side

Supported pendulum exercises

Shoulder shrugs / scapular retraction without resistance

Ice pack

Goals

Pain control

Protection

Weeks 2 – 4

Continue sling x 6 weeks

Continue appropriate previous exercises

Full pendulum exercises

Resisted elbow / wrist exercises (light dumbbell)

Active assisted motion (AAROM) supine with wand

– Flexion to 90 degrees

– Abduction to 60 degrees

– ER to 45-60 degrees

– NO IR x 6 weeks

1-2 Finger Isometrics x 6 (fist in box)

Stationary bike (must wear sling)

Goal – AAROM Flexion to 90 degrees, Abduction 60 degrees

Robert Kollmorgen DO

Weeks 4 – 6

Continue sling x 6 weeks

Continue appropriate previous exercises

Submaximal isometrics x 6 (pain-free)

AAROM supine with wand

– Flexion to 140 degrees

– Abduction to 90 degrees

– ER to 60+ degrees

– NO IR

Treadmill – Walking progression program

Goal – AAROM Flexion to 140 degrees, Abduction to 90 degrees

Weeks 6 – 9

D/C Sling

Continue appropriate previous exercises

AAROM (wand, wall climb, pulleys, doorway stretch) through full range

AROM through full range

Rotator cuff strengthening with light Theraband

– ER and IR with arm at side and pillow or towel roll under arm

– Flexion to 60 degrees

– Abduction to 60 degrees

– Scaption to 60 degrees

– Extension to 30 degrees

Prone scapular retraction exercises without weight

Standing rows with Theraband

Push-up plus against wall (no elbow flexion > 90 degrees)

Body Blade

Ball on wall (arcs, alphabet)

UBE – Forwards and backwards at low resistance

Elliptical trainer

Stairmaster

Pool walking / running – No UE resistive exercises

Goals

Full AROM

30 wall push-ups

Weeks 9 – 12

Continue appropriate previous exercises with increased resistance as tolerated

PROM / mobilization as needed to regain full ROM

Seated row with light resistance

Prone scapular retraction exercises with light weight

BAPS on hands

Ball toss with arm at side

Continued on following page

Robert Kollmorgen DO

Push-up progression – Wall to table (no elbow flexion > 90 degrees)

Treadmill – Running progression program

Goals

Normal rotator cuff strength

30 table push-ups

Months 3 – 4

Continue appropriate previous exercises

Fitter on hands

Ball toss overhead

Push-up progression – Table to chair (no elbow flexion > 90 degrees)

Weight training with light resistance

– No elbow flexion > 90 degrees with bench, dips, etc.

Goals

Run 2 miles at easy pace

30 chair push-ups

Months 4 – 6

Continue appropriate previous exercises

Push-ups, regular – No elbow flexion > 90 degrees

Sit-ups

Swimming

Running progression to track

Progressive weight training – No elbow flexion > 90 degrees

Transition to home / gym program

Goals

Resume all activities at 6 months post-op

No contact sports until 6 months post-op