

Hip Preservation Surgery • Pelvis and Hip Reconstruction • Orthopaedic Sports Medicine

Robert Kollmorgen DO

ANTERIOR CAPSULORRAPHY (ANTERIOR ETAC)

Post-op Days 1 – 14

Sling with abductor pillow x 4 weeks - Even while sleeping - Position in IR and slightly anterior to the frontal plane - Place pillow under shoulder / arm while sleeping for comfort Hand squeezing exercises Elbow and wrist active motion (AROM) with shoulder in neutral position at side Supported pendulum exercises Shoulder shrugs / scapular retraction without resistance Ice pack Goals Pain control Protection Weeks 2 - 4 Continue sling x 4 weeks Continue appropriate previous exercises Full pendulum exercises Resisted elbow / wrist exercises (light dumbbell) Active assisted motion (AAROM) supine with wand - Flexion to 90 degrees - Abduction to 60 degrees - ER to within 50% of opposite shoulder - IR to 45 degrees (with shoulder abducted to 45 degrees) 1-2 Finger Isometrics x 6 (fist in box)

Stationary bike (must wear sling)

Goal – AAROM Flexion to 90 degrees, Abduction 60 degrees



Hip Preservation Surgery • Pelvis and Hip Reconstruction • Orthopaedic Sports Medicine

Robert Kollmorgen DO

Weeks 4 – 6

D/C Sling Continue appropriate previous exercises Submaximal isometrics x 6 (pain-free) AAROM supine with wand - Flexion to 140 degrees - Abduction to 90 degrees - ER to within 80% of opposite shoulder - IR to 60+ degrees (with shoulder abducted to 60 degrees) Treadmill - Walking progression program Goal - AAROM Flexion to 140 degrees, Abduction to 90 degrees Weeks 6 - 9 Continue appropriate previous exercises AAROM (wand, wall climb, pulleys, doorway stretch) through full range AROM through full range Rotator cuff strengthening with light Theraband - ER and IR with arm at side and pillow or towel roll under arm - Flexion to 60 degrees - Abduction to 60 degrees - Scaption to 60 degrees - Extension to 30 degrees Prone scapular retraction without weight Standing rows with Theraband Push-up plus against wall (no elbow flexion > 90 degrees) **Body Blade** Ball on wall (arcs, alphabet) UBE - Forwards and backwards at low resistance Elliptical trainer Stairmaster Pool walking / running - No UE resistive exercises Goals Full AROM 30 wall push-ups Weeks 9 - 12 Continue appropriate previous exercises with increased resistance as tolerated PROM / mobilization as needed to regain full motion Seated row with light resistance Prone scapular retraction exercises with light weight BAPS on hands Ball toss with arm at side Continued on following page



Hip Preservation Surgery • Pelvis and Hip Reconstruction • Orthopaedic Sports Medicine

Robert Kollmorgen DO

Push-up progression – Wall to table (no elbow flexion > 90 degrees) Treadmill – Running progression program Pool therapy - With UE resistance Goals Normal rotator cuff strength 30 table push-ups Months 3 - 4Continue appropriate previous exercises Fitter on hands Ball toss overhead Push-up progression – Table to chair (no elbow flexion > 90 degrees) Weight training with light resistance - No overhead press or pull downs behind head - No elbow flexion > 90 degrees with bench, dips, etc. Goals Run 2 miles at easy pace 30 chair push-ups Months 4 – 6 Continue appropriate previous exercises Push-ups, regular – No elbow flexion > 90 degrees Sit-ups Swimmina Running progression to track Progressive weight training – No elbow flexion > 90 degrees Transition to home / gym program Goals **Resume all activities** No contact sports until 6 months post-op